

## Lists of Publications (as of 22 October 2003)

### Books or Proceedings (edited)

- Theory of Experimental Layouts and Its Applications (in Japanese). RIMS Kokyuroku 404, Kyoto Univ., Kyoto, Japan, 1980.
- Combinatorial Structures of Configurations (in Japanese). RIMS Kokyuroku 429, Kyoto Univ., Kyoto, Japan, 1981.
- Theoretical Background in Experimental Data Analysis (in Japanese). RIMS Kokyuroku 526, Kyoto Univ., Kyoto, Japan, 1984.
- Combinatorial Aspects of Design Experiments: A Volume dedicated to Sumiyasu Yamamoto (edited with Y. Fujikoshi, M. Kuwada and T. Shohoji), North-Holland, Amsterdam, 1993 [Discrete Mathematics Volume 116, Numbers 1-3, 1 June 1993].
- A Memorial Volume to Professor Sumiyasu Yamamoto (edited with M. Kuwada) (in Japanese), Takatou Print Media, Japan, 8 November 2000.
- Experimental Design and Related Combinatorics: A Special Issue in Memory of Professor Sumiyasu Yamamoto (edited with T. Shirakura), North-Holland, Amsterdam [J. Statist. Plann. Inference Volume 106, Numbers 1-2, 1 August 2002].

### Books

- Block Designs: A Randomization Approach, Vol. 1: Analysis (with T. Calinski). Lecture Notes in Statistics, Vol. 150, Springer, 2000.
- Block Designs: A Randomization Approach, Vol. 2: Design (with T. Calinski). Lecture Notes in Statistics, Vol. 170, Springer, 2003.

### Papers

1. An improved inequality for balanced incomplete block designs. Ann. Math. Statist. 42(1971), 1448-1449.

2. On the reduction of associate classes for certain PBIB designs. *Ann. Math. Statist.* 43(1972), 1528-1540.
3. A survey of resolvable solutions of balanced incomplete block designs. *Internat. Statist. Rev.* 40(1972), 269-273.
4. Note on Takeuchi's table of difference sets generating balanced incomplete block designs. *Internat. Statist. Rev.* 40(1972), 275-276.
5. On  $\mu$ -resolvable and affine  $\mu$ -resolvable balanced incomplete block designs. *Ann. Statist.* 1(1973), 195-203.
6. On the inequality for BIBDs with special parameters. *Ann. Statist.* 1(1973), 204-207.
7. A series of 3-designs. *Journ. Japan Statist. Soc.* 3(1973), 67-68.
8. Note on the reduction of associate classes for PBIB designs. *Ann. Inst. Statist. Math.* 26(1974), 163-170.
9. On the incomplete block designs derivable from the association schemes. *J. Combinatorial Theory (A)* 17(1974), 269-272.
10. Reduction of associate classes for block designs and related combinatorial arrangements (*thesis*). *Hiroshima Math. J.* 4(1974), 527-618.
11. On the reduction of associate classes for the PBIB design of a certain generalized type. *Ann. Statist.* 2(1974), 1346-1350.
12. Note on the construction of partially balanced arrays. *Ann. Inst. Statist. Math.* 27(1975), 177-180.
13. A note on BIB designs (with G. Ishii). *Austral. J. Statist.* 17(1975), 49-50.
14. Note on an inequality for tactical configurations. *Ann. Inst. Statist. Math.* 27(1975), 529-530.
15. Resolvability of block designs. *Ann. Statist.* 4(1976), 655-661.
16. Constructions of balanced block designs. *Utilitas Math.* 9(1976), 209-229.

17. Combinatorial properties of balanced block designs of certain types (in Japanese). *Sûgaku* 28(1976), 202-213.
18. On  $\mu$ -resolvable and affine  $\mu$ -resolvable  $t$ -designs. "Essays in Probability and Statistics", Birthday Volume in honor of Professor J. Ogawa (edited by S. Ikeda et al.), 17-31. Shinko Tsusho Company, Tokyo, 1976.
19. Some observations of affine  $\mu$ -resolvable incomplete block designs. *Bull. Fac. Educ., Hiroshima University, Part 3*, 25(1976), 9-14.
20. Conditions for  $\alpha$ -resolvability and affine  $\alpha$ -resolvability of incomplete block designs. *Journ. Japan Statist. Soc.* 7(1977), 19-25.
21. Classifications of certain  $t$ -designs. *J. Combinatorial Theory (A)* 22(1977), 163-168.
22. A note on  $(r, \lambda)$ -systems (with G. Ishii). *Utilitas Math.* 11 (1977), 113-122.
23. Addendum to "Resolvability of block designs". *Bull. Inst. Math. Statist.* 6(1977), 143-144.
24. Note on combinatorial arrangements. *Hiroshima Math. J.* 7(1977), 449-458.
25. Characterization of certain incomplete block designs (with T. Tsuji). *J. Statist. Plann. Inference* 1(1977), 151-161.
26. General upper bound for the number of blocks having a given number of treatments common with a given block (with T. Tsuji). *J. Statist. Plann. Inference* 1(1977), 217-234.
27. Inequalities for certain partially balanced incomplete block designs. *Journ. Japan Statist. Soc.* 7(1977), 89-93.
28. Comparison of the bounds for the block intersection number of incomplete block designs. *Calcutta Statist. Assoc. Bull.* 26(1977), 53-60.
29. Improved inequalities for balanced incomplete block designs. *Discrete Math.* 21(1978), 177-188.
30. A condition for the existence of certain resolvable 2-designs. *Journ. Japan Statist. Soc.* 8(1978), 37-38.

31. Corrections and supplements to the paper "Inequalities for certain partially balanced incomplete block designs". Journ. Japan Statist. Soc. 8(1978), 53.
32. Reduction of the number of associate classes of hypercubic association schemes (with G. M. Saha and A. D. Das). Ann. Inst. Statist. Math. 30(1978), 115-123.
33. Remarks on "Resolvability of block designs". Bull. Inst. Math. Statist. 7(1978), 312, 78t-133.
34. Irreducible hyperbolic  $(r, \lambda)$ -systems. Bull. Inst. Math. Statist. 8(1979), 47-48, 79t-15.
35. Bounds on the number of disjoint blocks of incomplete block designs. Utilitas Math. 14(1978), 177-180.
36. Note on designs in serology. Journ. Japan Statist. Soc. 9(1979), 37-40.
37. Inequality for equireplicated  $n$ -ary block designs with unequal block sizes (with T. Tsuji). J. Statist. Plann. Inference 3(1979), 101-107.
38. A theorem on a quasi-residual BIB design. Bull. Inst. Math. Statist. 8(1979), 280, 79t-150.
39. Mathematical expression of an inequality for a block design. Ann. Inst. Statist. Math. Part A 31(1979), 293-298.
40. Relation between experimental designs and matrix theory: Applications. Bull. Fac. Sch. Educ. Hiroshima Univ. Part 2, 2(1979), 65-80.
41. Certain block structure of block designs. Sankhyā B 40(1979), 209-216.
42. Some block structure of certain PBB designs. Ars Combinatoria 8(1979), 49-57.
43. Characterization of certain balanced  $n$ -ary block designs. Ann. Inst. Statist. Math. A 32(1980), 107-110.
44. On properties of efficiency-balanced designs. Commun. Statist. -Theor. Meth. A 9(1980), 597-616.

45. Non-existence of equireplicated variance-balanced designs with  $b = v + 1$  (with R. Nishii). "Recent Developments in Statistical Inference and Data Analysis" (edited by K. Matusita et al.; Proceedings of the International Conference in Statistics, Tokyo, 1979), 171-176, North-Holland, Amsterdam, 1980.
46. Nonexistence of tight  $(2s+1)$ -designs (with R. Nishii). *Utilitas Math.* 17(1980), 225-229.
47. Robustness of connected balanced block designs. *Ann. Inst. Statist. Math. A* 32(1980), 255-261.
48. Characterization of equireplicated variance-balanced block designs (with T. Tsuji). *Ann. Inst. Statist. Math. A* 32(1980), 263-273.
49. Some bounds on balanced block designs (with T. Tsuji). *J. Statist. Plann. Inference* 4(1980), 155-167.
50. The family of  $t$ -designs - Part I (with A. Hedayat). *J. Statist. Plann. Inference* 4(1980), 173-212.
51. Variations of power for  $t$ -test based on differences in two sample sizes. *Bull. Fac. Sch. Educ. Hiroshima Univ. Part 2*, 3(1980), 65-77.
52. Bounds on the number of blocks and some block structure for resolvable designs. *Journ. Japan Statist. Soc.* 10(1980), 127-134.
53. On balanced incomplete block designs with  $v = 2k$ . *Journ. Japan Statist. Soc.* 10(1980), 135-137.
54. Some bounds for partially balanced block designs. *Ann. Inst. Statist. Math. A* 33(1981), 141-153.
55. Constructions of efficiency-balanced designs. *Commun. Statist. -Theor. Meth. A* 10(1981), 559-580.
56. On 5-designs. *Utilitas Math.* 19(1981), 171-176.
57. Some families of group divisible designs (with T. Tanaka). *J. Statist. Plann. Inference* 5(1981), 231-241.

58. Bounds on the number of blocks in BIB designs. Bull. Fac. Sch. Educ. Hiroshima Univ. Part 2, 4(1981), 71-74.
59. Remark on construction of efficiency-balanced designs. Austral. J. Statist. 24(1982), 113-115.
60. Connectedness of two-associate PBIB designs. J. Statist. Plann. Inference 7(1982), 77-82. Addendum: *ibid* 13(1986), 131-132.
61. On a characterization of affine  $\mu$ -resolvable BIB designs (with R. N. Mohan). Utilitas Math. 22(1982), 17-23.
62. Approximate determinants for the covariance matrix of a moving average process of higher order. Bull. Fac. Sch. Educ. Hiroshima Univ. Part 2, 5(1982), 75-80.
63. The family of  $t$ -designs - Part II (with A. Hedayat). J. Statist. Plann. Inference 7(1983), 257-287.
64. On  $\mu$ -resolvable BIB designs (with R. N. Mohan). Discrete Math. 45(1983), 113-122.
65. Remark on the paper "On constructing balanced incomplete block designs from association matrices". Sankhyā B 45(1983), 148.
66. A resolvable solution of BIBD(18,51,17,6,5). Ars Combinatoria 15(1983), 315-316.
67. Note on the construction of optimum chemical balance weighing designs (with G. M. Saha). Ann. Inst. Statist. Math. A 35(1983), 447-452.
68. A method of construction of group divisible designs (with R. N. Mohan). Utilitas Math. 24(1983), 311-318.
69. Bounds on the number of blocks in binary designs (with G. M. Saha). Bull. Fac. Sch. Educ. Hiroshima Univ. Part 2, 6(1983), 61-63.
70. Examples of non-trivial efficiency-balanced designs with  $b = v + 1$ . Biometrical J. 26(1984), 119-120.

71. On a fundamental bound of balanced arrays. Bull. Informatics and Cybernetics 21(1984), 37-39.
72. Some properties on resolvability of variance-balanced designs. Geometriae Dedicata 15(1984), 289-292.
73. Balanced arrays and weighing designs (with G. M. Saha). Australian J. Statist. 26(1984), 119-124.
74. A condition for the validity of Fisher's inequality (with T. Tsuji). Journ. Japan Statist. Soc. 14(1984), 85-88.
75. On connectedness-conditions of PBIB designs (with G. M. Saha). Journ. Japan Statist. Soc. 14(1984), 169-178.
76. Statistical education and research in India - with reference to design of experiments (in Japanese) (with Bhagwandas). Japanese J. Applied Statist. 13(1984), 37-46.
77. Dualizing with respect to  $s$ -tuples (with R. N. Mohan). Proc. Japan Acad. A 60(1984), 266-268.
78. Three methods of constructing PBIB designs (with R. N. Mohan). Commun. Statist. -Theor. Meth. 13(1984), 3185-3189. Corrigendum: *ibid* A 16(1987), 2793.
79. Addendum to "The  $\alpha$ -width of the incidence matrices of incomplete block designs" (by S. M. Shah and C. C. Gujarathi, Sankhyā B 46(1984), 118-121). Sankhyā B 46(1984), 377.
80. On variance-balanced block designs with  $b = v$ . "Enumeration and Design" (edited by D. M. Jackson and S. A. Vanstone; Silver Jubilee Conference on Combinatorics, Univ. of Waterloo, June 14 - July 2, 1982), 199-213, Academic Press Canada, 1984.
81. What is a necessary and sufficient condition for the validity of an inequality  $b \geq 2v$  in a non-symmetrical BIB design with parameters  $v, b, r, k, \lambda$ ? Bull. Fac. Sch. Educ. Hiroshima Univ. Part 2, 7(1984), 53-55.

82. On the construction of group divisible partially balanced incomplete block designs (with R. N. Mohan). *Bull. Fac. Educ. Hiroshima Univ. Part 2*, 7(1984), 57-60.
83. Connectedness of PBIB designs with applications (with J. Ogawa and S. Ikeda). "Proceedings of the Seminar on Combinatorics and Applications in honour of Professor S. S. Shrikhande on his 65th birthday" (edited by K. S. Vijayan and N. M. Singhi; Indian Statistical Institute, Calcutta, December 14-17, 1982), 248-255. Statistical Publishing Society, Calcutta, 1984.
84. Two constructions of group divisible designs (with R. N. Mohan). *J. Combinatorics, Information & System Sciences* 9(1984), 81-86.
85. On resolvable and affine resolvable variance-balanced designs (with R. Mukerjee). *Biometrika* 72(1985), 165-172.
86. A structural classification of SR group divisible designs. *Statist. & Prob. Lett.* 3(1985), 25-27.
87. A construction of group divisible designs. *J. Statist. Plann. Inference* 12(1985), 123-125.
88. Connectedness of PBIB designs having asymmetrical association schemes. *Ann. Inst. Statist. Math. A* 37(1985), 139-143.
89. Some constructions of PBIB designs (with Shakti Banerjee and Bhagwandas). *Ann. Inst. Statist. Math. A* 37(1985), 145-150.
90. Properties of partially efficiency-balanced designs (with P. D. Puri). *Bull. Informatics and Cybernetics* 21(1985), 19-28.
91. New constructions of BIB designs (with R. N. Mohan). *Biometrical J.* 27(1985), 345-348.
92. On a construction of group divisible partially balanced incomplete block designs (with R. N. Mohan). *Sankhyā B* 47(1985), 292-293.
93. Patterned constructions of partially balanced incomplete block designs (with Bhagwandas and S. Banerjee). *Commun. Statist. -Theor. Meth. A* 14 (1985), 1259-1267.

94. Constructions of partially efficiency-balanced designs and their analysis (with P. D. Puri). *Commun. Statist. -Theor. Meth. A* 14(1985), 1315-1342.
95. A new special class of PEB designs (with P. D. Puri). *Commun. Statist. -Theor. Meth. A* 14(1985), 1731-1744.
96. Constructions of  $\alpha$ -resolvable PBIB designs (with R. N. Mohan). *Calcutta Statist. Assoc. Bull.* 34(1985), 221-224.
97. Connected designs with the minimum number of experimental units. *Lecture Notes in Statistics 35* (Proceedings of the International Conference on Linear Inference, Poznań, Poland, June 4-9, 1984), 99-117, Springer-Verlag, 1985.
98. Parametric characterizations of BIB designs (with M. Kuwada). *Bull. Fac. Educ. Hiroshima Univ. Part 2*, 8(1985), 137-149.
99. On the duals of contractions of  $t$ - $(v, k, \lambda_t)$  designs (with Snigdha Banerjee and Bhagwandas). *Sankhyā B* 47(1985), 432-435.
100. A method of constructing regular block designs (with Shakti Banerjee). *J. Statist. Plann. Inference* 13(1986), 399-401.
101. An inequality for strongly resolvable designs (with R. Mukerjee). *J. Geometry* 27(1986), 24-28.
102. Robustness of 3-associate PBIB designs of two types. *Journ. Japan Statist. Soc.* 16(1986), 21-24.
103. Addendum to "Connectedness of two-associate PBIB designs". *J. Statist. Plann. Inference* 13(1986), 131-132.
104. Symmetry and classification of certain regular group divisible designs (with Bhagwandas and R. Mukerjee). *Graphs and Combinatorics* 2(1986), 15-20.
105. Pairwise balanced, semi-regular and regular group divisible designs (with K. Sinha). *Bull. Informatics and Cybernetics* 22(1986), 55-57.
106. A new class of C-designs (with B. Ceranka and S. Mejza). *Sankhyā B* 48(1986), 199-206.

107. Comparison of three general bounds on the number of mutually disjoint blocks in incomplete block designs. *Jour. Indian Soc. Agr. Statist.* 38(1986), 169-172.
108. Some improved bounds on the number of blocks in BIB designs (with S. M. Shah and C. C. Gujarathi). *Jour. Indian Soc. Agr. Statist.* 38(1986), 187-192.
109. On the reduction of associate classes for the Kronecker product designs of a certain generalized type (with R. N. Mohan). *J. Combinatorics, Information & System Sciences* 11(1986), 92-98.
110. General balanced designs through reinforcement (with R. Mukerjee). *Sankhyā B* 48(1986), 380-387. Addendum *ibid* 49(1987), 103.
111. Upper bounds on the number of mutually disjoint blocks in incomplete block designs. "Proceedings of the Symposium on Optimization, Design of Experiments and Graph Theory" in honour of Professor M. N. Vartak on his 60th birthday (edited by M. N. Gopalan and G. A. Patwardhan; Indian Institute of Technology, Bombay, December 15-17, 1986), 35-38.
112. Dual designs and their application in genetical experiments (with P. D. Puri and A. K. Nigam). *Biometrical J.* 29(1987), 555-569.
113. Patterned constructions of partially efficiency-balanced designs (with P. D. Puri and B. D. Mehta). *J. Statist. Plann. Inference* 15(1987), 365-378.
114. Some characterization of locally resistant BIB designs of degree one. *Ann. Inst. Statist. Math. A* 39(1987), 661-669.
115. Search for GD designs with small values of characteristics (with R. Mukerjee). *Journ. Japan Statist. Soc.* 17(1987), 1-10.
116. On cyclic semi-regular group divisible designs (with R. Mukerjee and M. Jimbo). *Osaka J. Math.* 24(1987), 395-407.
117. On resistant  $t$ -designs (with G. M. Saha). *Ars Combinatoria* 23(1987), 81-92.
118. Some constructions of two-associate class PBIB designs (with Snigdha Banerjee and Bhagwandas). *Ann. Inst. Statist. Math. A* 39(1987), 671-679.

119. A note on pairwise balanced and partially balanced designs (with R. N. Mohan). *Indian Journal of Pure and Applied Mathematics* 18(1987), 871-875.
120. Recommendation of binary designs. *Australian J. Statist.* 29(1987), 365-366.
121. On the determinant and the inverse for the covariance matrix of a moving average process. *Bull. Fac. Sch. Educ. Hiroshima Univ. Part 2*, 10(1987), 73-85.
122. A method of construction of resolvable incomplete block designs with more than two replications (with Bhagwandas). *Bull. Fac. Sch. Educ. Hiroshima Univ. Part 2*, 10(1987), 87-92.
123. Connectedness of some 3-associate PBIB designs (with J. Ogawa and S. Ikeda). "Contributions to Statistics; Selected Papers of Junjiro Ogawa" (edited by S. Ikeda et al.), 366-374. Shinko Tsusho Company, Tokyo, 1987.
124. Further equireplicate variance-balanced designs with unequal block sizes. *Utilitas Math.* 32(1987), 5-10. Addendum: *ibid* 34(1988), 32.
125. Design of Experiments. "Encyclopedic Dictionary of Mathematics", Second Edition, by the Mathematical Society of Japan (edited by Kiyosi Ito), 369-377. The MIT Press, Cambridge, Massachusetts and London, England, 1987.
126. Bounds on the number of constraints for balanced arrays of strength  $t$  (with G. M. Saha and R. Mukerjee). *J. Statist. Plann. Inference* 18(1988), 255-265.
127. Classification of semi-regular group divisible designs with  $\lambda_2 = \lambda_1 + 1$  (with R. Mukerjee). *Ars Combinatoria* 25(1988), 51-57.
128. Some structural properties of partially efficiency-balanced block designs (with P. D. Puri). *Sankhyā B* 50(1988), 200-205.
129. A Kronecker-product design and its reducible association classes (with R. N. Mohan). *Probability and Mathematical Statistics* 9(1988), 45-49.
130. On orthogonal arrays attaining Rao's bounds. *J. Statist. Plann. Inference* 19(1988), 395-400. Corrigendum *ibid* 24(1990), 135.
131. Some constructions of balanced bipartite block designs (with K. Sinha). *Utilitas Math.* 33(1988), 137-162.

132. A note on A-efficiency of connected designs. *J. Statist. Plann. Inference* 20(1988), 221-224.
133. Two methods of construction of affine resolvable balanced designs with unequal block sizes. *Sankhyā B* 50(1988), 195-199.
134.  $D^{-1}$ -partially efficiency-balanced designs with at most two efficiency classes (with G. M. Saha and R. Mukerjee). *Commun. Statist. -Theor. Meth.* 17(1988), 1669-1683.
135. Some constructions of two- and three-associate PBIB designs (with Shakti Banerjee). *Journ. Japan Statist. Soc.* 18(1988), 141-147.
136. Optimum chemical balance weighing designs for estimating the total weight. *Commun. Statist. -Theor. Meth.* 17(1988), 2697-2704.
137. Existence of variance-balanced binary designs with fewer experimental units. *Statist. & Prob. Lett.* 7(1988), 27-28.
138. On non-existence of symmetrical variance-balanced designs (with Izumi Kajitani). *Bull. Fac. Sch. Educ. Hiroshima Univ. Part 2*, 11(1988), 47-61.
139. Block designs - a review on combinatorics (with A. S. Hedayat). "Proceedings on International Conference on Population Mathematics" (edited by D. Rasch et al.), 88-118. The series issue 24-26 of *Probleme der angewandten Statistik*, Research Centre for Animal Husbandry, Dummerstorf-Rostock, DDR, 1988.
140. Two constructions of  $\alpha$ -resolvable PBIB designs (with R. N. Mohan). *Utilitas Math.* 36(1989), 115-119.
141. Two open problems on balanced block designs. "Combinatorics and Graph Theory" (edited by Z. Skupien and M. Borowiecki), 113-118. Banach Center Publications, Volume 25(1989), PWN - Polish Scientific Publishers, Warsaw.
142. A construction of self complementary semi-regular group divisible designs (with Shakti Banerjee and Arvind Verma). *Sankhyā B* 51(1989), 335-338.
143. Construction of SRGD designs. *J. Statist. Plann. Inference* 21(1989), 132-133.

144. Composite construction of group divisible designs (with K. Sinha). *Ann. Inst. Statist. Math.* 41(1989), 409-414.
145. Resolvable semi-regular group divisible designs (with D. K. Ghosh and G. C. Bhimani). *J. Japan Statist. Soc.* 19(1989), 163-165.
146. An incidence pattern leading to resolvable group divisible or rectangular PBIB designs. *Bull. Fac. Sch. Educ. Hiroshima Univ. Part II*, 12(1989), 29-32.
147. A series of triangular PBIB designs with nested rows and columns (with K. Sinha). *J. Statist. Plann. Inference* 24(1990), 403-404.
148. Complete characterization of optimum weighing designs for estimating the total weight. *Statist. & Prob. Lett.* 9(1990), 99-100.
149. Intermediate designs from  $BIBD(s^2, s, 1)$  to  $BIBD(s^2 + s + 1, s + 1, 1)$  (with K. Sinha). *J. Statist. Comput. Simulation* 36(1990), 61-63.
150. Robustness of block designs. "Proceedings of the R. C. Bose Symposium" (Delhi, India, December 27-30, 1988), 425-438. Wiley Eastern, New Delhi, 1990.
151. Existence of  $\alpha$ -resolvable nested incomplete block designs (with S. Banerjee). *Utilitas Math.* 38(1990), 237-243.
152. On resolvability of duplicate designs (with K. Sinha). *J. Statist. Comput. Simulation* 36(1990), 40-42.
153. Resistant BTIB designs (with Dibyen Majumdar). *Commun. Statist. -Theor. Meth.* 19(1990), 2145-2158.
154. Robustness of group divisible designs (with R. Mukerjee). *Commun. Statist. -Theor. Meth.* 19(1990), 3189-3203.
155. Further constructions of balanced bipartite block designs (with K. Sinha). *Utilitas Math.* 38(1990), 155-160.
156. Constructions of partially balanced bipartite block designs (with K. Sinha). *Discrete Math.* 92(1991), 137-144.
157. A property of  $t$ -wise balanced designs. *Ars Combinatoria* 31(1991), 237-238.

158. Book review on "Characterizations and Analysis of Block Designs" by A. K. Nigam, P. D. Puri and V. K. Gupta, John Wiley & Sons, 1988. *Metrika* 38(1991), 61-62.
159. Type S designs with nested rows and columns (with Sudhir Gupta). *Metrika* 38(1991), 195-202.
160. An improved upper bound in a proper non-binary VB design. *Statist. & Prob. Lett.* 11(1991), 319-320.
161. A characterization of generalized binary proper efficiency-balanced designs (with Ashish Das). *Bull. Fac. Sch. Educ. Hiroshima Univ. Part II*, 13(1991), 17-20.
162. A class of E-optimal proper efficiency-balanced designs (with A. Das). *Biometrika* 78(1991), 693-696.
163. Equireplicate variance-balanced designs from group divisible designs (with D. K. Ghosh and J. Divecha). *J. Japan Statist. Soc.* 21(1991), 205-209.
164. Equiblock-sized efficiency-balanced designs (with K. Sinha). *Commun. Statist. -Theor. Meth.* 20(1991), 2933-2941.
165. On the randomization theory of intra-block and inter-block analysis (with T. Caliński). *Listy Biometryczne - Biometrical Letters* 28(1991), 97-122.
166. A parametric characterization of semi-regular GD designs (with T. Matsumoto). *Calcutta Statist. Assoc. Bull.* 41(1991), 197-199.
167. A construction of semi-regular group divisible designs (with M. Jimbo). *Sankhyā B* 54(1992), 207-217.
168. Rectangular designs with varying replicates (with A. D. Das and K. Sinha). *Ars Combinatoria* 33(1992), 27-29.
169. Constructions of some E-optimal 3-concurrence most balanced designs (with K. Sinha). *J. Statist. Plann. Inference* 31(1992), 127-132.
170. Efficiency of connected binary block designs when a single observation is unavailable (with Subir Ghosh and Rahul Mukerjee). *Ann. Inst. Statist. Math.* 44(1992), 593-603.

171. On two efficiency factors of a proper block design. Bull. Fac. Sch. Educ. Hiroshima Univ. Part II, 14(1992), 33-37.
172. Some characterizations of semi-regular and regular designs (with T. Matsumoto). Bull. Fac. Sch. Educ. Hiroshima Univ. Part II, 14(1992), 39-52.
173. Robustness of BIB and extended BIB designs against the unavailability of any number of observations in a block (with A. Das). Computational Statistics and Data Analysis 14(1992), 343-358.
174. On some series of efficiency-balanced block and row-column designs (with A. Das). Sankhyā B 54(1992), 316-323.
175. Constructions of PBIB designs based on nested group divisible association scheme (with Bhagwandas and K. Sinha). Utilitas Math. 41(1992), 169-174.
176. Variance balanced designs with unequal block sizes and unequal replications (with Sudhir Gupta). Utilitas Math. 42(1992), 15-24.
177. On distribution of examination scores on mathematics in junior high school (with Isao Tanaka)(in Japanese). Bulletin of Research Center for Educational Study and Practice, Faculty of School Education, Hiroshima Univ. 4(1992), 71-80.
178. Constructions of group divisible or balanced treatment incomplete block designs. Coll. Art. Comm. 10th Anniv. Grad. Sch. Sch. Educ. Hiroshima Univ., 191-194. March, 1992.
179. The family of block designs with some combinatorial properties. Discrete Math. 116(1993), 17-54.
180. Robustness of some balanced block designs. Discrete Math. 116(1993), 159-181.
181. Experimental design: methods and applications, An updated bibliography of books in English. Discrete Math. 116(1993), 369-403.
182. Type S designs in unequal blocks (with Sudhir Gupta). J. Combinatorics, Information & System Sciences 18(1993), 97-112.

183. Characterization and optimality of block designs with estimation of parameters under mixed models (with R. Zmyślony). "Statistical Sciences and Data Analysis" (Proceedings of 3rd Pacific Area Statistical Conference, December 11-13, 1991), 559-570. VSP, The Netherlands, 1993.
184. Methods of constructing nested partially balanced incomplete block designs (with Shakti Banerjee). *Utilitas Math.* 43(1993), 3-6.
185. Ternary variance-balanced designs through BIB and GD designs (with D. K. Ghosh and K. Joshi). *J. Japan Statist. Soc.* 23(1993), 75-81.
186. Tables of A-efficient BTIUB designs (with L. Angelis and C. Moyssiadis). *Bull. Fac. Sch. Educ. Hiroshima Univ. Part II*, 15(1993), 47-52.
187. Mathematics in high schools through teaching and learning (in Japanese). *Bulletin of Research Center for Educational Study and Practice, Faculty of School Education, Hiroshima Univ.* 5(1993), 81-89.
188. Constructions of nested group divisible designs (with X. Duan). *Statist. & Prob. Lett.* 18(1993), 41-48.
189. Bounds on the efficiency of the residual design of extended BIB designs (with H. Setoya). *Metrika* 40(1993), 191-201.
190. Methods of constructing group divisible designs with  $k = 3$  and 4 (with S. Banerjee and R. Malhotra). *Commun. Statist. -Theor. Meth.* 22(1993), 2831-2842.
191. Methods of constructing A-efficient BTIUB designs (with L. Angelis and C. Moyssiadis). *Utilitas Math.* 44(1993), 5-15.
192. Construction of rectangular designs (with K. Sinha and M. K. Singh). *Statistics* 25(1993), 63-70.
193. On affine  $(\mu_1, \dots, \mu_t)$ -resolvable  $(r, \lambda)$ -designs (with D. V. S. Sastry). *Ars Combinatoria* 36(1993), 221-223.
194. Closed expressions for some moments of 3-variate Wishart roots (with H. Nishimura). *Bull. Fac. Sch. Educ. Hiroshima Univ. Part II*, 16(1994), 55-64.

195. Syllabus problem with special reference to mathematics and statistics (in Japanese). Bulletin of Research Center for Educational Study and Practice, Faculty of School Education, Hiroshima University, 6(1994), 163-178.
196. On existence of two symbol complete orthogonal arrays (with R. Mukerjee). J. Combinatorial Theory (A) 66(1994), 176-181.
197. Optimal complete diallel crosses (with S. Gupta). Biometrika 81(1994), 420-424.
198. Constructions of variance-balanced and efficiency-balanced ternary block designs (with D. K. Ghosh and A. Shah). J. Japan Statist. Soc. 24(1994), 201-208.
199. Some constructions of nested BIB and two-associate PBIB designs under restricted dualization (with Jose Philip and Shakti Banerjee). Bull. Fac. Sch. Educ. Hiroshima Univ. Part II, 17(1995), 33-39.
200. A construction of resolvable designs (with Y. Miao). Utilitas Math. 46(1994), 49-54.
201. Best estimation of variance components with arbitrary kurtosis in two-way layouts mixed models (with J. K. Baksalary and S. Gnot). J. Statist. Plann. Inference 44(1995), 65-75.
202. On the optimality of certain nested block designs under a mixed effects model (with S. Mejza). MODA 4-Advances in Models-Oriented Data Analysis (Proceedings of the 4th International Workshop in Spetses, Greece, June 5-9, 1995), pp.157-164.
203. Some methods of construction of rectangular PBIB designs (with Y. Miao). Combinatorics and Graph Theory'95 Vol. 1 (Proceedings of the Summer School and International Conference on Combinatorics, Hefei, China, 25 May - 5 June 1995) (edited by Ku Tung-Hsin), pp.186-198.
204. Nested balanced  $n$ -ary designs (with S. Gupta and W.-S. Lee). Metrika 42(1995), 411-419.

205. Construction of generalized binary proper efficiency-balanced block designs with two different replication numbers (with L. Angelis and C. Moyssiadis). *Sankhyā B* 56(1994), 259-266.
206. New bound for affine resolvable designs and its application to authentication codes (with K. Kurosawa). *Proc. of Computing and Combinatorics, Lecture Notes in Computer Science, Vol. 959, Springer-Verlag*, pp. 292-302 (1995).
207. Constructions of group divisible designs (with X. Duan). *J. Japan Statist. Soc.* 25(1995), 121-128.
208. Difference families with applications to resolvable designs (with Y. Miao). *Hiroshima Mathematical Journal* 25 (1995), 475-485.
209. Robustness of augmented BIB designs against unavailability of some observations (with X. Duan). *Sankhyā Series B* 57(1995), 405-419.
210. Single replicate orthogonal block designs for circulant partial diallel crosses (with S. Gupta and A. Das). *Commun. Statist. -Theor. Meth.* 24(1995), 2601-2607.
211. Problems and perspectives on re-organization in teacher-training colleges and faculties in universities (with S. Takahashi)(in Japanese with English abstract). *Hiroshima Journal of School Education* 2(1996), 185-195.
212. The randomization model for experiments in block designs and the recovery of inter-block information (with T. Caliński). *J. Statist. Plann. Inference* 52(1996), 359-374.
213. Some new non-binary variance-balanced designs with unequal replications (with K. Sinha and B. Jones). *Statist. & Prob. Lett.* 27(1996), 149-153.
214. A few results on block-colourings of designs (with Y. Miao). *Hiroshima Mathematical Journal* 26 (1996), 245-251.
215. Robustness of variance balanced designs against the unavailability of some observations (with Y. Miao). *Hiroshima Mathematical Journal* 26 (1996), 351-362.

216. The spectrum of nested designs with block size three or four (with Y. Miao). *Congressus Numerantium* 114(1996), 73-80.
217. Comments on a paper "On the existence of BLUEs under a randomization model for the randomized block design" by T. Caliński, *Listy Biometryczne - Biometrical Letters* 33 (1996), 1-23; pp.14-17.
218. Some non-embeddable quasi-derived designs (with Y. Miao). *J. Combinatorial Theory, Series A* 76 (1996), 295-304.
219. Some constructions of semiframes (with Y. Miao). *Ars Combinatoria* 43 (1996), 17-31.
220. Non-isomorphic solutions of group divisible designs with  $k = 3$  and  $\lambda_1 = 0$  (with S. Banerjee). *J. Statist. Plann. Inference* 56 (1996), 23-32.
221. Block designs: their combinatorial and statistical properties (with T. Calinski). *Handbook of Statistics, Vol. 13* (1996), 809-873, North-Holland, Amsterdam.
222. Nested directed BIB designs with block size three or four (with Y. Miao). *Jour. Ind. Soc. Ag. Statistics* 49(1996), 99-110.
223. Further constructions of nested group divisible designs (with Y. Miao and X. Duan). *J. Japan Statist. Soc.* 26(1996), 231-239.
224. General methods of construction of balanced designs (with S. Pal and A. Majumder). *Bull. Fac. Sch. Educ. Hiroshima Univ., Part II*, 19 (1997), 57-64.
225. An error-correcting code through PBIB designs (with T. Shimata and D. Fujitake). *Bull. Fac. Sch. Educ. Hiroshima Univ., Part II*, 19 (1997), 65-76.
226. A class of error-correcting codes through BIB designs (with D. Fujitake and T. Shimata). *Bulletin of the ICA*, 19(1997), 121-124.
227. Note on a paper "1-Rotational designs with block size 4" (with Y. Miao). *Bulletin of the ICA*, 20(1997), 82-84.
228. Constructions of pairwise- and variance-balanced designs (with K. Sinha and B. Jones). *Statistics*, 29(1997), 241-250.

229. Some characteristic of partially balanced incomplete block designs (with X. Duan). *Bulletin of the ICA*, 21(1997), 17-21.
230. Nested designs with block size five and subblock size two (with Y. Miao). *J. Statist. Plann. Inference* 64(1997), 125-139.
231. New series of  $\alpha$ -resolvable and almost  $\alpha$ -resolvable PBIB designs (with R. N. Mohan). *Utilitas Math.* 51(1997), 21-26.
232. Construction of nested  $t$ -associate PBIB designs under restricted dualization (with Jose Philip and Shakti Banerjee). *Utilitas Math.* 51(1997), 27-32.
233. Mathematics education in high schools of Japan and Korea through cooperative teaching (in Japanese)(with A. Murakami). *Hiroshima J. of School Education* 4(1998), 33-43.
234. A construction for resolvable designs and its generalizations (with Y. Miao). *Graphs and Combinatorics* 14(1998), 11-24.
235. Some statistical properties of nested block designs (with S. Mejza). *MODA 5 - Advances in Models-Oriented Data Analysis and Experimental Design (Proceedings of the 5th International Workshop in Marseilles, France, June 22-26, 1998)*, pp.231-238.
236. Some constructions of variance-balanced designs (with S. Pal and A. Majumder). *Bull. Fac. Sch. Educ. Hiroshima Univ., Part II*, 20(1998), 17-21.
237. Robustness of BIB designs against the unavailability of any two observations (with H. Setoya). *Bull. Fac. Sch. Educ. Hiroshima Univ., Part II*, 20(1998), 23-28.
238. Constructions of nested directed BIB designs (with M. Mishima, Y. Miao and M. Jimbo). *Australasian J. Combinatorics* 18(1998), 157-172.
239. Nested designs of superblock size four (with Y. Miao). *J. Statist. Plann. Inference* 73(1998), 1-5.
240. A series of quasi-multiple BIB designs from Hadamard matrices (with Kishore Sinha and Byron Jones). *Ars Combinatoria* 50(1998), 245-250.

241. How to nest a perfect Mendelsohn design with block size three or four (with Y. Miao). *J. Combin. Infor. Sys. Sci.* 23(1998), 125-133.
242. Error-correcting codes derivable from  $(r, \lambda)$ -designs (with T. Shimata). *Bull. Fac. Sch. Educ. Hiroshima Univ., Part II*, 21(1999), 9-14.
243. On nested group divisible designs with block size three or four (with Y. Miao). *Combinatorics, Graph Theory and Algorithms: Volume II (Proceedings of the Eighth Quadrennial International Conference in Western Michigan University, Kalamazoo, Michigan)*, 1999, pp.515-525.
244. Two classes of  $q$ -ary codes based on group divisible association schemes (with Y. Miao). *Discrete Math.* 195(1999), 269-276.
245. Error-correcting non-binary codes through Latin squares (with S. Kadowaki, M. Kimura and Y. Yanagida). *Bulletin of the ICA* 29(2000), 67-70.
246. On learning materials design in mathematics textbooks in Kenya – Through a comparative study of mathematics textbooks in Japan and Kenya – (with A. Ueda). *Gakusyu Kaihatu Kenkyu* 1 (2000), 63-74.
247. Generalized PBIB designs from a Steiner triple system (with K. Sinha). *Bull. Fac. Sch. Educ. Hiroshima Univ., Part II*, 22(2000), 1-3.
248. A list of equireplicate balanced block designs (with A. Das and K. Sinha). *Bull. Fac. Educ. Hiroshima Univ., Part II*, 49(2000), 17-24.
249. Optimal orthogonal codes derived from difference triangle sets (with Y. Miao). *Congressus Numerantium* 143(2000), 129-139.
250. Existence of nested designs with block size five (with Y. Miao). *J. Statist. Plann. Inference* 94(2001), 249-254.
251. Constructions for a certain type of balanced bipartite block designs (with M. Mishima and M. Jimbo). *J. Statist. Plann. Inference* 95(2001), 257-268.
252. A combinatorial structure of affine  $(\alpha_1, \dots, \alpha_t)$ -resolvable  $(r, \lambda)$ -designs (with T. Shimata). *Ars Combinatoira* 58(2001), 187-192.
253. Non-existence of a nested BIB design NB(10, 15, 2, 3) (with T. Hishida, K. Ishikawa, M. Jimbo and S. Kuriki). *JCMCC* 36(2001), 55-63.

254. More optimal designs for diallel cross experiments (with Sudhir Gupta). *Metrika* 53(2001), 183-187.
255. Discrete structure of group divisible designs with  $r = \lambda_1 + 1$  (with M. Jimbo). *Bulletin of the ICA* 32(2001), 29-36.
256. A new series of  $\mu$ -resolvable BIB designs (with A. Majumder and S. Pal). *Bull. Grad. School Educ. Hiroshima Univ., Part II*, 50 (2001), 41-45.
257. Some observations on the constructions of chemical balance weighing designs (with R. N. Mohan and B. Ceranka). *Discussiones Mathematicae: Probability and Statistics* 21(2001), 99-110.
258. Constructions of group divisible and nested group divisible designs (with R. K. Mitra, K. Sinha and M. K. Singh). *Utilitas Math.* 61(2002), 167-174.
259. Symmetry of a group divisible design with  $r = \lambda_1 + 1$  (with T. Shimata). *J. Statist. Plann. Inference* 106(2002), 31-37.
260. Some series of rectangular designs (with K. Sinha, M. K. Singh and R. S. Singh). *J. Statist. Plann. Inference* 106(2002), 39-46.
261. Frames with block size four and index three (with S. Furino, A. C. H. Ling, Y. Miao and J. Yin). *J. Statist. Plann. Inference* 106(2002), 117-124.
262. Optimality and constructions of incomplete split-block designs (with K. Ozawa, M. Jimbo and S. Mejza). *J. Statist. Plann. Inference* 106(2002), 135-157.
263. Optimality and efficiency of incomplete split-block designs (with K. Ozawa, M. Jimbo and S. Mejza). *Metrika* 56(2002), 1-18.
264. A construction of Hadamard matrices from  $\text{BIBD}(2k^2 - 2k + 1, k, 1)$  (with M. K. Singh and K. Sinha). *Australasian J. Combinatorics* 26(2002), 93-97.
265. An inequality on  $\alpha$ -resolvable balanced incomplete block designs (with S. Kadowaki). *Bulletin of the ICA* 37(2003), 51-57.
266. Balanced nested designs and balanced arrays (with R. Fuji-Hara, S. Kuriki, Y. Miao and S. Shinohara). *Discrete Math.* 259(2002), 91-119.

267. Designs for diallel crosses for test versus control comparisons (with K. C. Choi and Sudhir Gupta). *Utilitas Math.*, to appear.
268. Combinatorial structure of group divisible designs without  $\alpha$ -resolution classes in each group (with T. Adachi and M. Jimbo). *Discrete Math.* 265 (2003), 1-11.
269. Discrete structure of group divisible designs with  $r = \lambda_1 + 2$  and  $n = 4$  (with T. Adachi and M. Jimbo). *Statistical Methods and Practice: Recent Advances* (eds. N. Balakrishnan, K. Kannan and M. R. Srinivasan), Narosa Publishers, New Delhi, 2002, pp. 233-254.
270. Constructions of resolvable group divisible designs and related designs (with R. K. Mitra, K. Sinha and N. K. Mandal). *Annals of Combinatorics* 6 (2002), 173-179.
271. On connectedness in nested row-column designs (with S. Pal and V. Katyal). *Bull. Grad. School Educ. Hiroshima Univ., Part II*, 51 (2002), 1-5.
272. Balanced arrays of strength two from block designs (with K. Sinha, V. Dhar and G. M. Saha). *J. Combin. Designs* 10(2002), 303-312.
273. Issues and problems concerning class organization based on the degree of student's attainment – Through questionnaire survey on teaching – (in Japanese) (with Akira Murakami). *Hiroshima Journal of School Education* 9 (2003), 33-40.
274. Some patterned constructions of rectangular designs (with K. Sinha). *J. Japan Statist. Soc.*, 33(2003), 137-144.
275. General view and perspective on statistics education in elementary schools – Focused on curriculum improvement of statistics education – (in Japanese) (with Taketo Matsuura). *Journal of Japan Society of Mathematical Education : Arithmetic Education*, 85(2003), 11-20.
276. Some constructions of nested balanced equireplicate block designs (with Shivani Rai and Shakti Banerjee). *Discussiones Mathematicae - Probability and Statistics* -, 23(2003), 45-68.

277. Some series of block designs with nested rows and columns (with K. Sinha, A. Das and G. M. Saha). *Australasian J. Combinatorics*, to appear.
278. On the impact of characterization of symmetric balanced incomplete block designs on their complements (with R. N. Mohan and M. M. Nair). *Bull. Grad. School Educ. Hiroshima Univ.*, Part II, 52 (2003), to appear.
279. A new class of efficiency balanced two-way elimination of heterogeneity designs useful in sericulture (with S. Pal, A. Majumder and A. Ghosh). *Bull. Grad. School Educ. Hiroshima Univ.*, Part II, 52 (2003), to appear.