

List of M. Matsuda's Articles (Theoretical Physics)

- (1) M. Matsuda and S. Sawada, "Nuclear Force and OBEC-Model", *Prog. Theor. Phys.*, Vol.31, No.5(1964), pp.804-824.
- (2) N. Hiroshige, T. Ino and M. Matsuda, " f_0 -Meson and Proton-Proton Scattering", *Prog. Theor. Phys.*, Vol.31, No.4(1964), pp.719-720.
- (3) T.Ino, M. Matsuda and S. Sawada, "Nucleon-Nucleon Scattering and f_0 -Meson", *Prog. Theor. Phys.*, Vol.33, No.3(1965), pp.489-499.
- (4) N. Hiroshige and M. Matsuda, "Note on the Production of Weak Boson", *Prog. Theor. Phys.* Vol.33, No.4(1965), pp.764-76e.
- (5) M. Matsuda, "Off-Energy Shell Effect in Nucleon-Nucleon Interaction", *Memoirs Fac. Gen. Ed. Hiroshima Univ.*, Vol.3(1969), pp.1-8.
- (6) M. Matsuda, "Quark Counting Additivity Sum Rules", *Prog. Theor. Phys.*, Vol.44, No.5(1970), pp.1300-1306.
- (7) M. Kawasaki, Y. Susuki, M. Matsuda et al., "Impact-Parameter Description of Nucleon-Nucleon Scattering Amplitude at Low Energies", *Memoirs Fac. Gen. Ed. Hiroshima Univ.*, Vol.6(1972), pp.25-40.
- (8) M. Matsuda and W. Watari, "Proton-Proton Phase Shifts at 970 MeV", *Lettere Nuovo Cim.*, Vopl.6, No.2(1973), pp.23-28.
- (9) M. Matsuda and W. Watari, "Phase-Shift Analysis of p-p Scattering at $T_L = 640$ and 970 MeV", *Soryusiron-kenkyu* (mimeographed circular in Japan), Vol.46(1972), pp.70-85.
- (10) M. Kawasaki, Y. Susuki, M. Matsuda et al., "Peripheral Component of N-N Scattering Amplitudes at Low Energies", *Lett. Nuovo Cim.*, Vol.6, No.6(1973), pp.227-231.
- (11) S. Furuichi, M. Matsuda and W. Watari, "On the Possible Existence of a Diproton Resonance — A Proposal of p-p Scattering Experiment at about 500 MeV—", *Nuovo Cim.*, Vol.23A, No.2(1974), pp.375-389.
- (12) S. Furuichi, M. Matsuda and W. Watari, "Phase-Shift Analysis of p-p Scattering in Region of 0.6–1.0 GeV ", *Soryusiron-kenkyu* (mimeographed circular in Japanese), Vol.50(1975), pp.594-605.
- (13) M. Matsuda, "Phase-Shift Analysis of p-p Scattering", *Gensikaku-kenkyu* (mimeographed circular in Japanese), Vol. 19(1975), pp.697-700.
- (14) S. Furuichi, M. Matsuda and W. Watari, "A New Approach to the Phase-Shift Analysis of Nucleon-Nucleon Scattering in the Energy Region

between 300MeV and 1000MeV", *Nuovo Cim.*, Vol.34A, No.11(1976), pp.467-491.

(15) M. Matsuda and M. Yonezawa, "A Possible $N\text{-}\Delta$ Resonance with $T=1$ and $J^P=2^-$ near Threshold", *Prog. Theor. Phys.*, Vol.58, No.4(1977), pp.1327-1328.

(16) M. Matsuda, "Phase-Shift Analysis of p-p Scattering at $T_L = 2$ GeV — taking into consideration of Regge-like Effect — ", *Soryusiron-kenkyu* (mimeographed circular in Japanese), Vol.54(1977), pp.173-181.

(17) M. Matsuda, et al., "Proton-Proton Scattering Amplitudes at 6 GeV/c ", *Prog. Theor. Phys.*, Vol.62, No.5(1979), pp.1436-1438.

(18) M. Matsuda, et al., "A Phase-Shift Analysis of Proton-Proton Scattering at 6 GeV/c ", *Prog. Theor. Phys.*, Vol.64, No.4(1980), pp.1344-1356.

(19) M. Matsuda, et al., "Phase-Shift Analysis of Proton-Proton Scattering at $P_L=12$ GeV/c", *Prog. Theor. Phys.*, Vol.66, No.3(1981), pp.1102-1105.

(20) M. Akemoto, M. Matsuda, et al., "On the Phase-Shift Solution in the Diproton Resonance Region $P_L = 1.2\text{-}1.7$ GeV/c", *Prog. Theor. Phys.*, Vol.67, No.2(1982), pp.554-570.

(21) M. Matsuda, et al., "Elastic p-p scattering amplitudes at 6 GeV/c", *Phys. Rev.*, Vol.D33, No.9(1986), pp.2563-2571.

(22) M. Matsuda, et al., "Evidence of Short-Range Repulsive Spin-Orbit Components in the Proton-Proton Interaction", *Prog. Theor. Phys.*, Vol.77, No.3(1987), pp.497-501.

(23) M. Matsuda, "Phase-Shift Analyses of Proton-Proton Scattering Data at 2-12 GeV/c and an Evidence of Repulsive Spin-Orbit Interaction", *Proceedings of Workshop on the Experiments by KEK Polarized Proton Beams*, KEK(Japan) Report 89-12(1989), pp.181-194.

(24) J. Nagata, M. Matsuda, et al., "Analysis of the Narrow Structure in KEK A_y -data on pp scattering", *Proceedings of Workshop on 400-800MeV pp Scatt. Data at Research Center of Nucl. Phys.*, (Osaka Univ., Japan); RCNP-P-112(1990), pp.41-55.

(25) J. Nagata, M. Matsuda, et al., "Analysis of $pp\text{-}pp$, $pp\text{-}pd$ and $pd\text{-}pd$ concerning narrow structure in $pp\text{-}A_y$ data at $\sqrt{s} = 2.16$ GeV", *Phys. Rev.*, Vol.C45, No4(1992), pp.1432-1443.

(26) J. Nagata, M. Matsuda, et al., "Two-Pole Analysis of Narrow Structures in KEK $pp\text{-}A_y$, related with $pp\text{-}pp$, $pd\text{-}pd$ and $pp\text{-}pd$ observables", *Mod. Phys. letters A*, Vol.7, No.38(1992), pp.3575-3581.

- (27) M. Matsuda, "Phase-Transition Phenomena in Proton-Proton Interaction", Proceedings of XIII International Conf. Few-Body Problems Phys.; Flinders Univ. (Australia) Report FLAS-R-216(1992), pp.118-119.
- (28) J. Nagata, M. Matsuda, et al., "Analysis of $pp \rightarrow pp$, $pp \rightarrow nd$ and $nd \rightarrow nd$ about Narrow Structure at $\sqrt{s} = 2.16$ GeV", Proceedings of XIII International Conf. Few-Body Problems Phys.; Flinders Univ. (Australia) Report FLAS-R-216(1992), pp.188-189.
- (29) J. Nagata, H. Yoshino, M. Matsuda, et al., "Possible Narrow Dibaryons Concerning $pp \rightarrow pp$, $nd \rightarrow nd$ and $pp \rightarrow nd$ Observables", Proceedings of 10th International Symposium on High Energy Spin Phys. 1992, Nagoya(Japan); "Frontiers of High Energy Spin Physics", Universal Academy Press, Inc.,(1993), pp.473-476.
- (30) M. Matsuda and J. Nagata, "Short-Range Repulsive Spin-Orbit P-P Interaction and Evidence of its Shrinkage", Proceedings of 10th International Symposium on High Energy Spin Phys. 1992, Nagoya(Japan); "Frontiers of High Energy Spin Physics", Universal Academy Press, Inc. (1993), pp.493-496.
- (31) J. Nagata, H. Yoshino and M. Matsuda, "Elastic N—N Scattering Amplitudes at Intermediate Energies and Dibaryon", Proceedings of 14th International IUPAP Conference on Few Body Problems in Phys. 1994; Williamsburg; College of William and Mary (USA), (1994), pp.141-144.
- (32) J. Nagata, H. Yoshino and M. Matsuda, "Phase Shift Analyses of pp Elastic Scattering between 500 and 800MeV", Prog. Theor. Phys., Vol.93, No.3(1995), pp.559-569.
- (33) M. Matsuda, J. Nagata, H. Yoshino, K. Harada and S. Ohara, "Noticeable Change of $p \rightarrow p$ Spin-Orbit Interaction at Short Distances", Prog. Theor. Phys., Vol.93, No.6(1995), pp.1059-1066.
- (34) H. Yoshino, J. Nagata, M. Matsuda, et al., "On the $np \rightarrow d(\pi\pi)0$ Reaction at $P_L=1.46$ and 1.9 GeV/c", Prog. Theor. Phys., Vol.95, No.2(1996), pp.353-360.
- (35) J. Nagata, H. Yoshino and M. Matsuda, "Elastic pp Scattering Amplitudes at Intermediate Energy and Dibaryons", Prog. Theor. Phys., Vol.95, No.3(1996), pp.691-696.
- (36) H. Yoshino, J. Nagata, M. Matsuda, et al., "Neutron-Proton Phase Shifts between 500 and 1090 MeV", Prog. Theor. Phys., Vol.95, No.3(1996), pp.577-597.

- (37) N. Hiroshige, H. Yoshino, J. Nagata, M. Matsuda, et al., "Study of $n\bar{p} \rightarrow d(\pi\pi)$ Reaction at $P_L=1.46$ and 1.9 GeV/c", Proceedings of the 25th INS International Symposium on Nuclear and Particle Physics with High-Intensity Proton Accelerators, World Scientific 1997, pp.426-427.
- (38) M. Matsuda, et al., "Noticeable Change of p-p Spin-Orbit Interaction at $b < 0.5\text{fm}$ ", Proceedings of the 25th INS International Symposium on Nuclear and Particle Physics with High-Intensity Proton Accelerators, World Scientific 1997, pp.428-429.
- (39) J. Nagata, M. Matsuda, et al., "Phase-Shift Analyses of Elastic pp Scattering at $T_L = 1.2, 2.5$ and 3.6 GeV using JINR-Data", Proceedings of the 25th INS International Symposium on Nuclear and Particle Physics with High-Intensity Proton Accelerators, World Scientific 1997, pp.430-431.
- (40) M. Matsuda, et al., "Possible Phase Transition Found in Phase-Shift Analyses of pp Scattering at $P_L= 12$ GeV/c", Proceedings of XV International Conf. on Few-Body Problems in Phys., Groningen (The Netherlands) 1997, pp.68-69.
- (41) J. Nagata, M. Matsuda, et al., "Elastic Nucleon-Nucleon Scattering Amplitudes at $T_L= 1.2\sim 4.15\text{GeV}$ ", Proceedings of XV International Conf. on Few-Body Problems in Phys., Groningen (The Netherlands) 1997, pp.70-71.
- (42) H. Yoshino, M. Matsuda, et al., "Neutron-Proton Phase Shifts at $T_L= 500\sim 1090$ MeV", Proceedings of XV International Conf. on Few-Body Problems in Phys., Groningen (The Netherlands) 1997, pp.94-95.
- (43) N. Hiroshige, H. Yoshino, J. Nagata, M. Matsuda, et al., "Theoretical Study of Two Pion Production Process in Neutron-Proton Scattering", Proceedings of XV International Conf. on Few-Body Problems in Phys., Groningen (The Netherlands) 1997, pp.427.
- (44) M. Matsuda, "The Hiroshima Phase-Shift Analysis", Nuclear Phys. Vol.A631(1998), pp.436c-441c.
- (45) M. Matsuda, "Proton Spin-Crisis and Transition from Quark-Gluon Phase to Hadron Phase —Proposal of Liquid-Model on Analogy of BCS-Theory—", Proceedings of International Workshop on Fermion masses and CP Violation, Hiroshima(Japan) 1998, pp.110-119.
- (46) K. Harada and M. Matsuda, "Liquid Model of Phase Transition from Quark-Gluon to Hadron Phase ", Soryusiron-kenkyu (mimeographed circular in Japanese), Vol.96(1998), pp.139-146.
- (47) K. Harada, M. Matsuda and Y. Zheng, "Liquid Model of Phase

Transition from Quark-Gluon Phase to Hadron Phase on Analogy of BCS-Theory", Proceedings of CCAST (China Center of Advanced Science and Technology), Vol.80(1998), pp.187-195.

(48) Y. Yoshino, V. Limkaisang, J. Nagata, H. Yoshino and M. Matsuda, "Phase Shifts of p - ^3He Scattering at Low Energies", Prog. Theor. Phys., Vol.103, No.1 (2000), pp.107-125.

(49) M. Matsuda, et al., "PANN : Partial Wave Analysis of Nucleon-Nucleon Scattering in Wide Energy Region", Computer Physics Communications, Vol.131 (2000), pp.225-263.

(50) M. Matsuda, et al., "PAPH : Partial Wave Analysis of p - ^3He Scattering", Computer Physics Communications, Vol.131(2000), pp.264-288.

(51) K. Harada, M. Matsuda and Y. Zheng, "Liquid Model of Phase Transition from Quark-Gluon Phase to Hadron Phase on Analogy of BCS Theory", Commu. Theor. Phys., Vol.33(2000), pp.87-92.

(52) Y. Yoshino, V. Limkaisang, J. Nagata, H. Yoshino and M. Matsuda, "Phase-Shift Analyses of p - ^3He Scattering at Low Energies", Few-Body Systems, Suppl. No.12 (2000), pp.487-490.

(53) H. Yoshino, J. Nagata, V. Limkaisang, Y. Yoshino and M. Matsuda, "Phase Shifts of p - ^3He Scattering at $T_L = 85, 150$ and 200 MeV", Nucl. Phys., Vol.A684(2001), pp.615c-617c.

(54) V. Limkaisang, K. Harada, J. Nagata, H. Yoshino, M. Shoji and M. Matsuda, "Phase-Shift Analysis of pp Scattering at $T_L = 25 - 500$ MeV", Prog. Theor. Phys., Vol.105, No.2(2001), pp.233-242.

(55) M. Matsuda, V. Limkaisang, J. Nagata and H. Yoshino, "Phase-Shift Analyses of p - ^3He Scattering at $T_L = 4.0 - 200$ MeV", *Proceedings of 8th Conf. on Mesons and Light Nuclei*, Prague (2001), AIP Conference Proceedings Vol. 603, pp.283-286.

(56) J. Nagata, H. Yoshino, V. Limkaisang, Y. Yoshino, M. Matsuda, T. Ueda, "Phase-Shift Analysis of Elastic Σ^+p Scattering", Phys. Rev. C Vol. 66 (2002).

(57) J. Nagata, H. Yoshino and M. Matsuda, "Phase-Shift Analyses of Elastic pp Scattering at $T_L = 1$ GeV–11 GeV", *nN News Lett.* Vol. 16 (2002), 376-378.

(58) J. Nagata, H. Yoshino and M. Matsuda, "Phase-Shift Analyses of Elastic pp Scattering in COSY Region", Mod. Phys. Lett. A18 (2003), 448-451.

(59) H. Yoshino, K. Harada, M. Matsuda and J. Nagata, "Phase-Shift Analysis of $p - {}^3\text{He}$ Scattering below 200MeV", Mod. Phys. Lett. A18(2003)444-447.

(60) J. Nagata, H. Yoshino and M. Matsuda, "Energy-Dependent Phase-Shift Analyses for Elastic pp Scattering in COSY-data Region", Mod. Phys. Lett. A (2006)